Certificate of Compliance

Issued to:

Certificate Number:

UL-US-2411530-0

Report Reference:

E484395-20240327

Issue Date: 2024-03-31

TIANJIN GENEUO TECHNOLOGY CO LTD Technology Av. South Economic Development Area Tianjin, Tianjin Shi 301609 China This certificate confirms that representative samples of:

CYJV - Cable Assemblies and Fittings for Industrial Control and Signal Distribution

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

UL 2238, Edition 3, Issue Date 2018-10-02, Revision Date 2024-03-12

Additional Information: See UL Product iQ® at https://ig.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

-0K -

David Piecuch UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <u>https://www.ul.com/contact-us</u>.





CERTIFICATE OF COMPLIANCE

Certificate number Report reference Date

UL-US-2411530-0 E484395-20240327 2024-03-31

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
7/8, FM, f/b Z or K, f/b 3, 4, 5, or 6, f/b 1 or 2, f/b -# or -P, f/b M20 or M30., # – May be any digit numbers (cable length in meter).	Panel mount outlet and inlet, Factory wired or PCB type
M8, FS, f/b Z or K, f/b 3, 4, 5, 6, or 8, f/b 1 or 2, f/b -# or -P, f/b Blank, M8, f/b Blank, 26AWG or 22AWG, # – May be any digit numbers (cable length in meter).	Panel mount outlet and inlet, Factory wired or PCB type.
 7/8, M, f/b L or Blank, f/b Z or K, f/b 3, 4, 5, or 6, f/b -, f/b #M, f/b Blank, 2 or 4 letters or digital numbers, # – May be any digit numbers (cable length in meter). 	Male and Female cable fitting, Factory Over-Molded
7/8, M, f/b L or Blank, f/b Z or K, f/b 3, 4, 5, or 6, f/b 1 or 2 f/b 1, f/b 1 or 2, f/b 0, f/b /9, /11 or /13.5	Male and Female cable fitting Field or Factory Assembled-on
7/8, M, f/b Z, f/b 3, 4, 5, or 6, f/b 2, f/b M, f/b K, f/b 3, 4, 5, or 6.	T-Splitter
M8, S, f/b L or Blank, f/b B or Blank, f/b Z or K, f/b 3, 4, 5, 6, or 8, f/b -#M, f/b /P00 or S10, # – May be any digit numbers (cable length in meter).	Male and Female cable fitting, Factory Over-Molded
M8, S, f/b L or Blank, f/b Z or K, f/b 3 or 4, f/b 1 or 2, f/b 1, f/b 2 or 8, f/b 0, f/b /7 or /9, f/b blank or /L	Male and Female cable fitting, Field or Factory Assembled-on

- Ro-

David Piecuch UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us



© 2024 UL LLC. All rights reserved. Form-ULID-013925-CoCa - ver 1.0

Certificate of Compliance

Issued to:

TIANJIN GENEUO TECHNOLOGY CO LTD Technology Av. South Economic Development Area Tianjin, Tianjin Shi 301609 China

This certificate confirms that representative samples of: CYJV7 - Cable Assemblies and Fittings for Industrial Control and Signal Distribution Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

CSA C22.2 No. 182.3, 2nd Ed., Issue Date: 2016-07, Revision Date: 2021-5

Additional Information: See UL Product iQ® at https://ig.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <u>https://www.ul.com/contact-us</u>.





Page 1 of 2

© 2024 UL LLC. All rights reserved. Form-ULID-013925-CoCa - ver 1.0

Certificate Number:

UL-CA-2409887-0

Report Reference:

E484395-20240327

Issue Date:

2024-03-31

CERTIFICATE OF COMPLIANCE

Certificate number Report reference Date

UL-CA-2409887-0 E484395-20240327 2024-03-31

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
7/8, FM, f/b Z or K, f/b 3, 4, 5, or 6, f/b 1 or 2, f/b -# or -P, f/b M20 or M30., # – May be any digit numbers (cable length in meter).	Panel mount outlet and inlet, Factory wired or PCB type
M8, FS, f/b Z or K, f/b 3, 4, 5, 6, or 8, f/b 1 or 2, f/b -# or -P, f/b Blank, M8, f/b Blank, 26AWG or 22AWG, # – May be any digit numbers (cable length in meter).	Panel mount outlet and inlet, Factory wired or PCB type.
 7/8, M, f/b L or Blank, f/b Z or K, f/b 3, 4, 5, or 6, f/b -, f/b #M, f/b Blank, 2 or 4 letters or digital numbers, # – May be any digit numbers (cable length in meter). 	Male and Female cable fitting, Factory Over-Molded
7/8, M, f/b L or Blank, f/b Z or K, f/b 3, 4, 5, or 6, f/b 1 or 2 f/b 1, f/b 1 or 2, f/b 0, f/b /9, /11 or /13.5	Male and Female cable fitting Field or Factory Assembled-on
7/8, M, f/b Z, f/b 3, 4, 5, or 6, f/b 2, f/b M, f/b K, f/b 3, 4, 5, or 6.	T-Splitter
M8, S, f/b L or Blank, f/b B or Blank, f/b Z or K, f/b 3, 4, 5, 6, or 8, f/b -#M, f/b /P00 or S10, # – May be any digit numbers (cable length in meter).	Male and Female cable fitting, Factory Over-Molded
M8, S, f/b L or Blank, f/b Z or K, f/b 3 or 4, f/b 1 or 2, f/b 1, f/b 2 or 8, f/b 0, f/b /7 or /9, f/b blank or /L	Male and Female cable fitting, Field or Factory Assembled-on

Daul P.

David Piecuch UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us-

